



Gulfstream G600




WORLDWIDE RANGE




DEPARTING NEW YORK





DEPARTING HONG KONG



DEPARTING SÃO PAULO







DEPARTING LONDON

 Traveling at high-speed¹, Mach 0.90
 Traveling at long-range cruise speed¹, Mach 0.85

¹NBAA IFR theoretical range. 8 passengers, 4 crew and NBAA IFR reserves. Actual range will be affected by ATC routing, operating speed, weather, outfitting options and other factors. All performance is based on preliminary data and subject to change.

G600™ SPECIFICATIONS

	<h2>PERFORMANCE</h2> <table border="0"> <tr> <td>Maximum Range¹ <i>(Mach 0.85, 8 passengers, 4 crew and NBAA IFR reserves)</i></td> <td>6,200 nm 11,482 km</td> </tr> <tr> <td>High-Speed</td> <td>Mach 0.90 516 ktas 956 km/h</td> </tr> <tr> <td>Long-Range</td> <td>Mach 0.85 488 ktas 904 km/h</td> </tr> <tr> <td>Maximum Operating Mach Number (<i>Mmo</i>)</td> <td>Mach 0.925</td> </tr> <tr> <td>Takeoff Distance (SL, ISA, MTOW)</td> <td>5,700 ft 1,737 m</td> </tr> <tr> <td>Initial Cruise Altitude</td> <td>41,000 ft 12,497 m</td> </tr> <tr> <td>Maximum Cruise Altitude</td> <td>51,000 ft 15,545 m</td> </tr> </table>		Maximum Range ¹ <i>(Mach 0.85, 8 passengers, 4 crew and NBAA IFR reserves)</i>	6,200 nm 11,482 km	High-Speed	Mach 0.90 516 ktas 956 km/h	Long-Range	Mach 0.85 488 ktas 904 km/h	Maximum Operating Mach Number (<i>Mmo</i>)	Mach 0.925	Takeoff Distance (SL, ISA, MTOW)	5,700 ft 1,737 m	Initial Cruise Altitude	41,000 ft 12,497 m	Maximum Cruise Altitude	51,000 ft 15,545 m										
Maximum Range ¹ <i>(Mach 0.85, 8 passengers, 4 crew and NBAA IFR reserves)</i>	6,200 nm 11,482 km																									
High-Speed	Mach 0.90 516 ktas 956 km/h																									
Long-Range	Mach 0.85 488 ktas 904 km/h																									
Maximum Operating Mach Number (<i>Mmo</i>)	Mach 0.925																									
Takeoff Distance (SL, ISA, MTOW)	5,700 ft 1,737 m																									
Initial Cruise Altitude	41,000 ft 12,497 m																									
Maximum Cruise Altitude	51,000 ft 15,545 m																									
<h2>WEIGHTS</h2> <table border="0"> <tr> <td>Maximum Takeoff</td> <td>91,600 lb 41,549 kg</td> </tr> <tr> <td>Maximum Landing</td> <td>76,800 lb 34,836 kg</td> </tr> <tr> <td>Maximum Zero Fuel</td> <td>57,440 lb 26,054 kg</td> </tr> <tr> <td>Basic Operating <i>(including 4 crew)</i>²</td> <td>51,440 lb 23,333 kg</td> </tr> <tr> <td>Maximum Payload²</td> <td>6,000 lb 2,722 kg</td> </tr> <tr> <td>Maximum Payload / Full Fuel²</td> <td>1,800 lb 816 kg</td> </tr> <tr> <td>Maximum Fuel</td> <td>38,760 lb 17,581 kg</td> </tr> </table>	Maximum Takeoff	91,600 lb 41,549 kg	Maximum Landing	76,800 lb 34,836 kg	Maximum Zero Fuel	57,440 lb 26,054 kg	Basic Operating <i>(including 4 crew)</i> ²	51,440 lb 23,333 kg	Maximum Payload ²	6,000 lb 2,722 kg	Maximum Payload / Full Fuel ²	1,800 lb 816 kg	Maximum Fuel	38,760 lb 17,581 kg	<h2>DESIGN STANDARDS</h2> <table border="0"> <tr> <td>Avionics</td> <td>Gulfstream Symmetry Flight Deck™</td> </tr> <tr> <td>Engines</td> <td>Two Pratt & Whitney Canada PW815GA</td> </tr> <tr> <td>Rated Takeoff Thrust <i>(each)</i></td> <td>15,680 lb 69.75 kN</td> </tr> <tr> <td>Passengers</td> <td>up to 19</td> </tr> <tr> <td>Sleeps</td> <td>up to 9</td> </tr> </table> 		Avionics	Gulfstream Symmetry Flight Deck™	Engines	Two Pratt & Whitney Canada PW815GA	Rated Takeoff Thrust <i>(each)</i>	15,680 lb 69.75 kN	Passengers	up to 19	Sleeps	up to 9
Maximum Takeoff	91,600 lb 41,549 kg																									
Maximum Landing	76,800 lb 34,836 kg																									
Maximum Zero Fuel	57,440 lb 26,054 kg																									
Basic Operating <i>(including 4 crew)</i> ²	51,440 lb 23,333 kg																									
Maximum Payload ²	6,000 lb 2,722 kg																									
Maximum Payload / Full Fuel ²	1,800 lb 816 kg																									
Maximum Fuel	38,760 lb 17,581 kg																									
Avionics	Gulfstream Symmetry Flight Deck™																									
Engines	Two Pratt & Whitney Canada PW815GA																									
Rated Takeoff Thrust <i>(each)</i>	15,680 lb 69.75 kN																									
Passengers	up to 19																									
Sleeps	up to 9																									
<h2>INTERIOR</h2> <table border="0"> <tr> <td>Total Interior Length</td> <td>51 ft 3 in 15.62 m</td> </tr> <tr> <td>Cabin Length <i>(excluding baggage)</i></td> <td>45 ft 2 in 13.77 m</td> </tr> <tr> <td>Cabin Height</td> <td>6 ft 4 in 1.93 m</td> </tr> <tr> <td>Cabin Width</td> <td>7 ft 11 in 2.41 m</td> </tr> <tr> <td>Cabin Volume</td> <td>1,884 cu ft 53.35 cu m</td> </tr> <tr> <td>Baggage Compartment Usable Volume</td> <td>175 cu ft 4.96 cu m</td> </tr> </table>	Total Interior Length	51 ft 3 in 15.62 m	Cabin Length <i>(excluding baggage)</i>	45 ft 2 in 13.77 m	Cabin Height	6 ft 4 in 1.93 m	Cabin Width	7 ft 11 in 2.41 m	Cabin Volume	1,884 cu ft 53.35 cu m	Baggage Compartment Usable Volume	175 cu ft 4.96 cu m														
Total Interior Length	51 ft 3 in 15.62 m																									
Cabin Length <i>(excluding baggage)</i>	45 ft 2 in 13.77 m																									
Cabin Height	6 ft 4 in 1.93 m																									
Cabin Width	7 ft 11 in 2.41 m																									
Cabin Volume	1,884 cu ft 53.35 cu m																									
Baggage Compartment Usable Volume	175 cu ft 4.96 cu m																									
	<h2>COMFORT</h2> <ul style="list-style-type: none"> 14 Large Gulfstream Panoramic Windows Forward or Aft Galley <i>(with or without dedicated crew compartment)</i> Forward and Aft Lavatories Flexible Cabin Design 																									

¹NBAA IFR theoretical range. Actual range will be affected by ATC routing, operating speed, weather, outfitting options and other factors. All performance is based on preliminary data and subject to change.

²Stated weights are based on theoretical standard outfitting configurations. Actual weights will be affected by outfitting options and other factors.



+1 912 965 3000 GULFSTREAM.COM